

L Number	Hits	Search Text	DB	Time stamp
1	6733	((717/103-123,174-178) or (709/223) or (379/142.01) or (370/395.1,352) or (455/428)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 11:36
-	1407	(379/201.01,90.01).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/21 12:12
-	12844	((customi\$5 or configur\$6 or select\$4 or mapp\$4) near8 (program\$1 or function\$1)) same (((user\$1 or defined) adj4 (parameter\$1 or input\$1)) or (operating adj system\$1) or (system\$1 adj3 input\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 13:53
-	547	((voice adj2 call\$1) or (call near3 pull-back) or (virtual adj2 voice)) near4 (processing or mechanism or function or toolkit or framework)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/21 14:55
-	8523	((((customi\$5 or configur\$6 or select\$4 or mapp\$4) near8 (program\$1 or function\$1)) same (((user\$1 or defined) adj4 (parameter\$1 or input\$1)) or (operating adj system\$1) or (system\$1 adj3 input\$1))) and (@ad<=19990423 or @rlad<=19990423)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 15:08
-	348	((voice adj2 call\$1) or (call near3 pull-back) or (virtual adj2 voice)) near4 (processing or mechanism or function or toolkit or framework)) and (@ad<=19990423 or @rlad<=19990423)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/21 16:13
-	19	(((((customi\$5 or configur\$6 or select\$4 or mapp\$4) near8 (program\$1 or function\$1)) same (((user\$1 or defined) adj4 (parameter\$1 or input\$1)) or (operating adj system\$1) or (system\$1 adj3 input\$1))) and (@ad<=19990423 or @rlad<=19990423)) and (((voice adj2 call\$1) or (call near3 pull-back) or (virtual adj2 voice)) near4 (processing or mechanism or function or toolkit or framework)) and (@ad<=19990423 or @rlad<=19990423))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 14:56
-	18	(((((customi\$5 or configur\$6 or select\$4 or mapp\$4) near8 (program\$1 or function\$1)) same (((user\$1 or defined) adj4 (parameter\$1 or input\$1)) or (operating adj system\$1) or (system\$1 adj3 input\$1))) and (@ad<=19990423 or @rlad<=19990423)) and (((voice adj2 call\$1) or (call near3 pull-back) or (virtual adj2 voice)) near4 (processing or mechanism or function or toolkit or framework)) and (@ad<=19990423 or @rlad<=19990423))) not ((((((customi\$5 or configur\$6 or select\$4 or mapp\$4) near8 (program\$1 or function\$1)) same (((user\$1 or defined) adj4 (parameter\$1 or input\$1)) or (operating adj system\$1) or (system\$1 adj3 input\$1))) and (@ad<=19990423 or @rlad<=19990423)) and (((voice adj2 call\$1) or (call near3 pull-back) or (virtual adj2 voice)) near4 (processing or mechanism or function or toolkit or framework)) and (@ad<=19990423 or @rlad<=19990423))) and ((packag\$4 or repository or storage or reuse) near4 (program\$1 or code or object\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/21 15:36

-	86	(call near3 processing) and ((function\$1 or program\$1 or object\$1) near7 (configura\$5 or mapp\$4 or defin\$3)) and (reuse same objects) and (@ad<=19990423 or @rlad<=19990423)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/24 16:32
-	1	((virtual adj2 environment\$1) same (call near6 processing)) and ((packag\$3 or framework or reuse or assembl\$4) near4 (program\$1 or object\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/21 16:10
-	672	((virtual or development) near5 environment\$1) and ((call or messag\$4) near6 (voice or media or data)) and ((packag\$3 or framework or reuse or assembl\$4) near4 (program\$1 or object\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 14:47
-	14	((virtual or development) near5 environment\$1) and ((call or messag\$4) near6 (voice or media or data)) and ((packag\$3 or framework or reuse or assembl\$4) near4 (program\$1 or object\$1))) and ((voice or call) near4 processing).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/21 16:14
-	13	((virtual or development) near5 environment\$1) and ((call or messag\$4) near6 (voice or media or data)) and ((packag\$3 or framework or reuse or assembl\$4) near4 (program\$1 or object\$1))) and ((voice or call) near4 processing).ab.) and (@ad<=19990423 or @rlad<=19990423)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 15:05
-	4	((virtual or development) near5 environment\$1) and ((call or messag\$4) near6 (voice or media or data)) and ((packag\$3 or framework or reuse or assembl\$4) near4 (program\$1 or object\$1))) and ((voice or call) near4 processing).ab.) and (@ad<=19990423 or @rlad<=19990423)) and ((voice or telephon\$3) adj2 (call or processing or activation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 08:11
-	11	("5452341" "5455854" "5455903" "5488650" "5644631" "5717747" "5724406" "5737393" "5787300" "5898772" "5917903").PN.	USPAT	2003/07/21 16:17
-	71	((voice adj call\$1) near5 process\$5) and ((program or code or object\$1) near7 (packag\$4 or pack\$4 or develop\$4 or reuse or configur\$5)) and ((telephon\$3 or multi-media or telecom\$6 or Sonet) same subscrib\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 08:17
-	8529	((customi\$5 or configur\$6 or select\$4 or mapp\$4) near8 (program\$1 or function\$1)) same (((user\$1 or defined) adj4 (parameter\$1 or input\$1)) or (operating adj system\$1) or (system\$1 adj3 input\$1))) and (@ad<=19990423 or @rlad<=19990423)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 09:37
-	56	((voice adj call\$1) near5 process\$5) and ((program or code or object\$1) near7 (packag\$4 or pack\$4 or develop\$4 or reuse or configur\$5)) and ((telephon\$3 or multi-media or telecom\$6 or Sonet) same subscrib\$4)) and (@ad<=19990423 or @rlad<=19990423)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 08:28

-	317	((call\$1) near5 process\$5) and ((program or code or object\$1) near7 (packag\$4 or pack\$4 or develop\$4 or reuse or configur\$5)) and ((telephon\$3 or multi-media or telecom\$6 or Sonet)) and (((customi\$5 or configur\$6 or select\$4 or mapp\$4) near8 (program\$1 or function\$1)) same ((user\$1 or defined) adj4 (parameter\$1 or input\$1)) or (operating adj system\$1) or (system\$1 adj3 input\$1))) and (@ad<=19990423 or @rlad<=19990423))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 08:17
-	19	(((voice adj call\$1) near5 process\$5) and ((program or code or object\$1) near7 (packag\$4 or pack\$4 or develop\$4 or reuse or configur\$5)) and ((telephon\$3 or multi-media or telecom\$6 or Sonet) same subscrib\$4)) and (@ad<=19990423 or @rlad<=19990423)) and (((call\$1) near5 process\$5) and ((program or code or object\$1) near7 (packag\$4 or pack\$4 or develop\$4 or reuse or configur\$5)) and ((telephon\$3 or multi-media or telecom\$6 or Sonet)) and (((customi\$5 or configur\$6 or select\$4 or mapp\$4) near8 (program\$1 or function\$1)) same ((user\$1 or defined) adj4 (parameter\$1 or input\$1)) or (operating adj system\$1) or (system\$1 adj3 input\$1))) and (@ad<=19990423 or @rlad<=19990423))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 08:21
-	18	((virtual or development) adj2 environment\$1) and (((call\$1) near5 process\$5) and ((program or code or object\$1) near7 (packag\$4 or pack\$4 or develop\$4 or reuse or configur\$5)) and ((telephon\$3 or multi-media or telecom\$6 or Sonet)) and (((customi\$5 or configur\$6 or select\$4 or mapp\$4) near8 (program\$1 or function\$1)) same ((user\$1 or defined) adj4 (parameter\$1 or input\$1)) or (operating adj system\$1) or (system\$1 adj3 input\$1))) and (@ad<=19990423 or @rlad<=19990423)) and ((packag\$3 or framework or reuse or assembl\$4 or configur\$5 or manipul\$5) near4 (program\$1 or object\$1 or code or component\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 08:26
-	993	(PSTN or "public switch telephone network") and ((subscrib\$4 or call\$1) near6 process\$4) and (configur\$5 same (object\$1 or program\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 13:55
-	605	((PSTN or "public switch telephone network") and ((subscrib\$4 or call\$1) near6 process\$4) and (configur\$5 same (object\$1 or program\$1))) and (@ad<=19990423 or @rlad<=19990423)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 11:40
-	177	(((PSTN or "public switch telephone network") and ((subscrib\$4 or call\$1) near6 process\$4) and (configur\$5 same (object\$1 or program\$1))) and (@ad<=19990423 or @rlad<=19990423)) and ((virtual or packet or sonet) adj2 (network or environment\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 11:40
-	129	(customi\$5 near4 (call\$1 adj2 (processing))) and (telephon\$3 same system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 08:31

-	675	((virtual or development) near5 environment\$1) and ((call or messag\$4) near6 (voice or media or data)) and ((packag\$3 or framework or reuse or assembl\$4) near4 (program\$1 or object\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 08:44
-	28	(virtual adj2 environment\$1) and telephon\$2 and (call\$1 adj2 processing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 08:33
-	129	((customi\$5 near4 (call\$1 adj2 (processing))) and (telephon\$3 same system)) and telephon\$2 and (call\$1 adj2 processing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 08:33
-	87	((((PSTN or "public switch telephone network") and ((subscrib\$4 or call\$1) near6 process\$4) and (configur\$5 same (object\$1 or program\$1))) and (@ad<=19990423 or @rlad<=19990423)) and ((virtual or packet or sonet) adj2 (network or environment\$1))) and telephon\$2 and (call\$1 adj2 processing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 15:12
-	2	(virtual adj2 environment\$1) and (((customi\$5 near4 (call\$1 adj2 (processing))) and (telephon\$3 same system)) and telephon\$2 and (call\$1 adj2 processing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 08:34
-	28	((virtual adj2 environment\$1) and telephon\$2 and (call\$1 adj2 processing)) or ((virtual adj2 environment\$1) and (((customi\$5 near4 (call\$1 adj2 (processing))) and (telephon\$3 same system)) and telephon\$2 and (call\$1 adj2 processing)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 08:34
-	20	((((virtual adj2 environment\$1) and telephon\$2 and (call\$1 adj2 processing)) or ((virtual adj2 environment\$1) and (((customi\$5 near4 (call\$1 adj2 (processing))) and (telephon\$3 same system)) and telephon\$2 and (call\$1 adj2 processing)))) and (@ad<=19990423 or @rlad<=19990423)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 11:42
-	10	((((virtual or development) near5 environment\$1) and ((call or messag\$4) near6 (voice or media or data)) and ((packag\$3 or framework or reuse or assembl\$4) near4 (program\$1 or object\$1))) and (((PSTN or "public switch telephone network") and ((subscrib\$4 or call\$1) near6 process\$4) and (configur\$5 same (object\$1 or program\$1))) and (@ad<=19990423 or @rlad<=19990423))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 09:07
-	3	((("6418461") or ("6393476")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 13:08
-	605	((PSTN or "public switch telephone network") and ((subscrib\$4 or call\$1) near6 process\$4) and (configur\$5 same (object\$1 or program\$1))) and (@ad<=19990423 or @rlad<=19990423)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 11:40
-	177	((((PSTN or "public switch telephone network") and ((subscrib\$4 or call\$1) near6 process\$4) and (configur\$5 same (object\$1 or program\$1))) and (@ad<=19990423 or @rlad<=19990423)) and ((virtual or packet or sonet) adj2 (network or environment\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 11:40

-	87	((((PSTN or "public switch telephone network") and ((subscrib\$4 or call\$1) near6 process\$4) and (configur\$5 same (object\$1 or program\$1))) and (@ad<=19990423 or @rlad<=19990423)) and ((virtual or packet or sonet) adj2 (network or environment\$1))) and telephon\$2 and (call\$1 adj2 processing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 11:41
-	20	((virtual adj2 environment\$1) and telephon\$2 and (call\$1 adj2 processing)) or ((virtual adj2 environment\$1) and ((customi\$5 near4 (call\$1 adj2 processing))) and (telephon\$3 same system)) and telephon\$2 and (call\$1 adj2 processing))) and (@ad<=19990423 or @rlad<=19990423)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 11:42
-	8529	((customi\$5 or configur\$6 or select\$4 or mapp\$4) near8 (program\$1 or function\$1)) same (((user\$1 or defined) adj4 (parameter\$1 or input\$1)) or (operating adj system\$1) or (system\$1 adj3 input\$1))) and (@ad<=19990423 or @rlad<=19990423)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 11:46
-	6	(((user\$1 or defined) adj4 (parameter\$1 or input\$1)) or (operating adj system\$1) or (system\$1 adj3 input\$1)) and (@ad<=19990423 or @rlad<=19990423) and ("4667065" "4792967" "4809321" "5007000" "5046085" "5187735" "5199062" "5271058" "5274700" "5309512" "5311572" "5329578" "5375161" "5384831" "5402472" "5408527" "5479496" "5502761" "5509062" "5515422" "5548636" "5557668" "5583929" "5592541" "5619557" "5987110").PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 13:28
-	11	((customi\$5 or configur\$6 or select\$4 or mapp\$4) near8 (program\$1 or function\$1))) and (@ad<=19990423 or @rlad<=19990423) and ("4667065" "4792967" "4809321" "5007000" "5046085" "5187735" "5199062" "5271058" "5274700" "5309512" "5311572" "5329578" "5375161" "5384831" "5402472" "5408527" "5479496" "5502761" "5509062" "5515422" "5548636" "5557668" "5583929" "5592541" "5619557" "5987110").PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 14:47
-	2	call adj pull-back	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 13:49
-	766	(379/142.\$).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 13:50
-	3305	((379/142.\$) or (379/211.\$) or (379/265.\$) or (379/242-244)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 14:31
-	34	((customi\$5 or configur\$6 or select\$4 or mapp\$4) near8 (program\$1 or function\$1)) same (((user\$1 or defined) adj4 (parameter\$1 or input\$1)) or (operating adj system\$1) or (system\$1 adj3 input\$1))) and (((379/142.\$) or (379/211.\$) or (379/265.\$) or (379/242-244)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 13:54

-	2	(PSTN or "public switch telephone network") and ((subscrib\$4 or call\$1) near6 process\$4) and (configur\$5 same (object\$1 or program\$1)) and (((customi\$5 or configur\$6 or select\$4 or mapp\$4) near8 (program\$1 or function\$1)) same (((user\$1 or defined) adj4 (parameter\$1 or input\$1)) or (operating adj system\$1) or (system\$1 adj3 input\$1))) and (((379/142.\$) or (379/211.\$) or (379/265.\$) or (379/242-244)).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 13:55
-	3918	((379/142.\$) or (379/211.\$) or (379/265.\$) or (379/242-244) or (379/207.\$) or (379/209.\$)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 14:32
-	143	(((customi\$5 or configur\$6 or select\$4 or mapp\$4) near8 (program\$1 or function\$1))) and (@ad<=19990423 or @rlad<=19990423) and (((customi\$5 or configur\$6 or select\$4 or mapp\$4) near8 (program\$1 or function\$1))) and (@ad<=19990423 or @rlad<=19990423) and (((PSTN or "public switch telephone network") and ((subscrib\$4 or call\$1) near6 process\$4) and (configur\$5 same (object\$1 or program\$1))) and (@ad<=19990423 or @rlad<=19990423)) and ((virtual or packet or sonet) adj2 (network or environment\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 15:28
-	5	((virtual or development) near5 environment\$1) and ((call or messag\$4) near6 (voice or media or data)) and ((packag\$3 or framework or reuse or assembl\$4) near4 (program\$1 or object\$1)) and (((customi\$5 or configur\$6 or select\$4 or mapp\$4) near8 (program\$1 or function\$1))) and (@ad<=19990423 or @rlad<=19990423) and (((customi\$5 or configur\$6 or select\$4 or mapp\$4) near8 (program\$1 or function\$1))) and (@ad<=19990423 or @rlad<=19990423) and (((PSTN or "public switch telephone network") and ((subscrib\$4 or call\$1) near6 process\$4) and (configur\$5 same (object\$1 or program\$1))) and (@ad<=19990423 or @rlad<=19990423)) and ((virtual or packet or sonet) adj2 (network or environment\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 14:49
-	6394	(370/352,392,389,400).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 14:51
-	6570	(370/352,392,389,400,486).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 14:52

-	5	((370/352,392,389,400,486).CCLS.) and (((virtual or development) near5 environment\$1) and ((call or messag\$4) near6 (voice or media or data)) and ((packag\$3 or framework or reuse or assembl\$4) near4 (program\$1 or object\$1)) and (((customi\$5 or configur\$6 or select\$4 or mapp\$4) near8 (program\$1 or function\$1))) and (@ad<=19990423 or @rlad<=19990423) and (((customi\$5 or configur\$6 or select\$4 or mapp\$4) near8 (program\$1 or function\$1))) and (@ad<=19990423 or @rlad<=19990423) and (((PSTN or "public switch telephone network") and ((subscrib\$4 or call\$1) near6 process\$4) and (configur\$5 same (object\$1 or program\$1))) and (@ad<=19990423 or @rlad<=19990423)) and (((virtual or packet or sonet) adj2 (network or environment\$1))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 14:52
-	1544	(((customi\$5 or configur\$6 or select\$4 or mapp\$4) near8 (program\$1 or function\$1)) same (((user\$1 or defined) adj4 (parameter\$1 or input\$1)) or (operating adj system\$1) or (system\$1 adj3 input\$1)) and (((voice adj2 call\$1) or call\$1 or (virtual adj2 voice)) near4 (processing or mechanism or function or toolkit or framework)) and (@ad<=19990423 or @rlad<=19990423))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 15:00
-	5	((customi\$5 or configur\$6 or select\$4) near8 (program\$1 or function\$1 or object\$1))) and (@ad<=19990423 or @rlad<=19990423) and (customi\$5 near8 (user adj2 (input\$1 or parameter\$1)) and (virtual adj2 (call\$1 or environment)) ("6088437").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/22 15:32
-	2		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 08:17
-	134	(telephon\$2 same call\$1) and (call near5 processing) and (toolkit or framework or (development near3 architecture) or (virtual adj2 environment\$1)) and ((configur\$5 or customi\$6 or select\$4 or mapp\$4) adj4 (program or code or object\$1)) and ((user\$1 or defin\$4) near4 (parameters or input\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 14:18
-	99	((telephon\$2 same call\$1) and (call near5 processing) and (toolkit or framework or (development near3 architecture) or (virtual adj2 environment\$1)) and ((configur\$5 or customi\$6 or select\$4 or mapp\$4) adj4 (program or code or object\$1)) and ((user\$1 or defin\$4) near4 (parameters or input\$1))) and (@ad<=19990423 or @rlad<=19990423)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 15:05

-	91	((telephon\$2 same call\$1) and (call near5 processing) and (toolkit or framework or (development near3 architecture) or (virtual adj2 environment\$1)) and ((configur\$5 or customi\$6 or select\$4 or mapp\$4) adj4 (program or code or object\$1)) and ((user\$1 or defin\$4) near4 (parameters or input\$1))) and (@ad<=19990423 or @rlad<=19990423)) and (reuse or framework or (development adj2 (interface or environm\$4 or toolkit or architecture)) or (configur\$5 near5 (interface or presentation)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 15:08
-	77	((customi\$5 or configur\$6 or select\$4 or mapp\$4) same (((user\$1 or defined) adj4 (parameter\$1 or input\$1)) or (operating adj system\$1) or (system\$1 adj3 input\$1))) and (((telephon\$2 same call\$1) and (call near5 processing) and (toolkit or framework or (development near3 architecture) or (virtual adj2 environment\$1)) and ((configur\$5 or customi\$6 or select\$4 or mapp\$4) adj4 (program or code or object\$1)) and ((user\$1 or defin\$4) near4 (parameters or input\$1))) and (@ad<=19990423 or @rlad<=19990423)) and (reuse or framework or (development adj2 (interface or environm\$4 or toolkit or architecture)) or (configur\$5 near5 (interface or presentation))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 15:10
-	77	((customi\$5 or configur\$6 or select\$4 or mapp\$4) same (((user\$1 or defined) adj4 (parameter\$1 or input\$1)) or (operating adj system\$1) or (system\$1 adj3 input\$1))) and (((telephon\$2 same call\$1) and (call near5 processing) and (toolkit or framework or (development near3 architecture) or (virtual adj2 environment\$1)) and ((configur\$5 or customi\$6 or select\$4 or mapp\$4) adj4 (program or code or object\$1)) and ((user\$1 or defin\$4) near4 (parameters or input\$1))) and (@ad<=19990423 or @rlad<=19990423)) and (reuse or framework or (development adj2 (interface or environm\$4 or toolkit or architecture)) or (configur\$5 near5 (interface or presentation))))) and (telephon\$4 or multi-media or telecommunic\$5 or wireless or ATM or Sonet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 15:12

-	10	(((PSTN or "public switch telephone network") and ((subscrib\$4 or call\$1) near6 process\$4) and (configur\$5 same (object\$1 or program\$1))) and (((customi\$5 or configur\$6 or select\$4 or mapp\$4) same ((user\$1 or defined) adj4 (parameter\$1 or input\$1)) or (operating adj system\$1) or (system\$1 adj3 input\$1))) and (((telephon\$2 same call\$1) and (call near5 processing) and (toolkit or framework or (development near3 architecture) or (virtual adj2 environment\$1)) and ((configur\$5 or customi\$6 or select\$4 or mapp\$4) adj4 (program or code or object\$1)) and ((user\$1 or defin\$4) near4 (parameters or input\$1))) and (@ad<=19990423 or @rlad<=19990423)) and (reuse or framework or (development adj2 (interface or environm\$4 or toolkit or architecture)) or (configur\$5 near5 (interface or presentation))))) and (telephon\$4 or multi-media or telecommunic\$5 or wireless or ATM or Sonet))) and ((virtual or packet or sonet) adj2 (network or environment\$1))) and telephon\$2 and (call\$1 adj2 processing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 15:13
-	39	(call adj3 processing) and (mesh\$3 adj4 network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/24 16:30
-	7	((customi\$5 or configur\$6 or select\$4 or mapp\$4) same (((user\$1 or defined) adj4 (parameter\$1 or input\$1)) or (operating adj system\$1) or (system\$1 adj3 input\$1))) and ((call adj3 processing) and (mesh\$3 adj4 network))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/24 16:31
-	66	((Sonet adj3 ring) and (mesh\$4 adj2 network))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/24 16:34
-	5	(((Sonet adj3 ring) and (mesh\$4 adj2 network))) and (call adj3 process\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/24 16:34
-	29	(US-6480748-\$ or US-5541917-\$ or US-6560646-\$ or US-6418461-\$ or US-6393481-\$ or US-6393476-\$ or US-6363411-\$ or US-6134313-\$ or US-6098094-\$ or US-5917903-\$ or US-5737393-\$ or US-5644631-\$ or US-5455903-\$ or US-5452341-\$ or US-6542739-\$ or US-6411806-\$ or US-6335927-\$ or US-5999525-\$ or US-5867495-\$ or US-5812533-\$ or US-5199062-\$ or US-6389124-\$ or US-6324547-\$ or US-6088437-\$ or US-6044403-\$ or US-5729536-\$).did. or (US-6009469-\$ or US-5754636-\$).did. or (US-20020064149-\$).did.	USPAT; US-PGPUB	2003/07/25 07:58

-	7	((US-6480748-\$ or US-5541917-\$ or US-6560646-\$ or US-6418461-\$ or US-6393481-\$ or US-6393476-\$ or US-6363411-\$ or US-6134313-\$ or US-6098094-\$ or US-5917903-\$ or US-5737393-\$ or US-5644631-\$ or US-5455903-\$ or US-5452341-\$ or US-6542739-\$ or US-6411806-\$ or US-6335927-\$ or US-5999525-\$ or US-5867495-\$ or US-5812533-\$ or US-5199062-\$ or US-6389124-\$ or US-6324547-\$ or US-6088437-\$ or US-6044403-\$ or US-5729536-\$).did. or (US-6009469-\$ or US-5754636-\$).did. or (US-20020064149-\$).did.) and ((fault near3 toleran\$3) or (disaster near4 resist\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 08:40
-	4	((US-6480748-\$ or US-5541917-\$ or US-6560646-\$ or US-6418461-\$ or US-6393481-\$ or US-6393476-\$ or US-6363411-\$ or US-6134313-\$ or US-6098094-\$ or US-5917903-\$ or US-5737393-\$ or US-5644631-\$ or US-5455903-\$ or US-5452341-\$ or US-6542739-\$ or US-6411806-\$ or US-6335927-\$ or US-5999525-\$ or US-5867495-\$ or US-5812533-\$ or US-5199062-\$ or US-6389124-\$ or US-6324547-\$ or US-6088437-\$ or US-6044403-\$ or US-5729536-\$).did. or (US-6009469-\$ or US-5754636-\$).did. or (US-20020064149-\$).did.) and ((fault near3 toleran\$3) or (disaster near4 resist\$4))) and outbound	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 08:40
-	16	((US-6480748-\$ or US-5541917-\$ or US-6560646-\$ or US-6418461-\$ or US-6393481-\$ or US-6393476-\$ or US-6363411-\$ or US-6134313-\$ or US-6098094-\$ or US-5917903-\$ or US-5737393-\$ or US-5644631-\$ or US-5455903-\$ or US-5452341-\$ or US-6542739-\$ or US-6411806-\$ or US-6335927-\$ or US-5999525-\$ or US-5867495-\$ or US-5812533-\$ or US-5199062-\$ or US-6389124-\$ or US-6324547-\$ or US-6088437-\$ or US-6044403-\$ or US-5729536-\$).did. or (US-6009469-\$ or US-5754636-\$).did. or (US-20020064149-\$).did.) and ATM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 09:35
-	181	((ATM adj2 cloud) same tear\$5) or ("same" adj2 concentrator))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 09:40
-	15	((((ATM adj2 cloud) same tear\$5) or ("same" adj2 concentrator))) and (call near8 process\$4) and (@ad<=19990423 or @rlad<=19990423)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 09:37
-	0	((((ATM adj2 cloud) same tear\$5) or ("same" adj2 concentrator))) and (call near8 process\$4) and (@ad<=19990423 or @rlad<=19990423)) and ((ATM adj2 cloud) same (concentrator))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 11:43
-	2	((((ATM adj2 cloud) same tear\$5) or ("same" adj2 concentrator))) and (call near8 process\$4) and (@ad<=19990423 or @rlad<=19990423)) and (ATM same (concentrator))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 09:40

-	2	("20030016675").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/25 11:33
---	---	---------------------	---	---------------------